May - 2016

Total No. of Questions :8]

P2892

SEAT No. : [Total No. of Pages :3

[4958]-1085

T.E. (Computer) THEORY OF COMPUTATION

(2012 Course) (Semester - I) (310241)

Time: 2½ Hours]

[Max. Marks:70

Instructions to the candidates:

- 1) Neat diagrams must be drawn wherever necessary.
- 2) Figures to the right side indicate full marks.
- 3) Assume suitable data if necessary.
- Q1) a) Determine a Regular Expression over the alphabets $\{x, y\}$ for the following
 - i) All strings containing exactly two x's
 - ii) All strings that do not end with xy
 - iii) All strings starting with yy

[6]

b) Define Pumping Lemma and apply it to prove the following

$$L = \{0^m 1^n 0^{m+n} | m \ge 1 \text{ and } n \ge 1\}$$
 is not regular

[6]

Give the Right & Left linear grammar for the following DFA shown in Fig1





Fig 1

- Q2) a) State Principle of Mathematical Induction and apply it to show that n⁴ 4n² is divisible by 3 for all n>0.
 - b) Make use of Arden's theorem to determine the regular expression for the finite automata shown in fig 2. [6]



F192

- c) Construct a DFA for the following left linear grammar [8] $S \rightarrow B1|A0|C0, \quad B \rightarrow B1|1, \quad A \rightarrow A1|B1|C0|0, \quad C \rightarrow A0$
- Q3) a) What is a Turing Machine? Give the formal definition of TM. Design a TM that replaces every occurrence of abb by baa. [9]
 - b) Write short note on:

[9]

- i) Universal Turing Machine (UTM)
- ii) Recursively Enumerable Languages.
- iii) Halting Problem of Turing Machine.

OR

- Q4) a) What is a post machine? Give formal definition of Post Machine. Construct a Post Machine for Accepting strings with equal number of $a^{is} \& b^{is}$.
 - b) What are the different ways for extension of TM? Explain. Construct a two tape TM to convert an input W into WW^R. [9]

- Q5) a) Construct a PDA that accept $L = \{a^n b^n \mid n \ge 1\}$ through Empty stack. [7]
 - b) Obtain CFG for the PDA given below: [9]

$$\delta(q_0, 1, z_0,) = \{q_0, xz_0,\}$$

$$\delta(q_0, 1, x) = \{q_0, xx\}$$

$$\delta(q_0, 0, x) = \{q_1, x\}$$

$$\delta(q_0, \varepsilon, z_0,) = \{q_0, \varepsilon\}$$

$$\delta(q_0, 1, z_0,) = \{q_0, \varepsilon\}$$

$$\delta(q_0, 1, z_0,) = \{q_0, z_0\}$$

OR

- Q6) a) What is PDA? What are the different types of PDA? Give its applications. [6]
 - b) What is NPDA? Construct a NPDA for The set of all strings over {a,b} with even length palindrome. [10]
- Q7) a) What do you mean by Polynomial Time Reduction? Explain with suitable example.[8]
 - b) What is Clique Problem? Show that it is a NP-Complete problem. [8]

OR

- Q8) a) What do you mean by NP-Problems? Justify why the Travelling Salesman problem is a NP-Problem.[8]
 - b) What is Kruskal's Algorithm? How can we solve this problem using Turing Machine? [8]

