Total No. of Questions:8]

SEAT No.:

P2605

[Total No. of Pages :3

[5153] - 581

T.E. (Computer)

THEORY OF COMPUTATION

(2012 Course) (Semester - I) (310241)

Time: 21/2 Hours

[Max. Marks:70

Instructions to the candidates:

- Neat diagrams must be drawn wherever necessary. 1)
- 2) Figures to the right side indicate full marks.
- Assume suitable data if necessary.
- Prove or disprove the given regular expression

[6]

- $(r*_S*) = (r + _S)*$
- i) $s(rs + s)^* r = rr^* s(rr^* s)^* r$
- Define Pumping Lemma and apply it to prove the following

[6]

$$L = \{0^m \ 1^n \ 0^{m+n} \mid m \ge 1 \text{ and } n \ge 1\}$$
 is not regular

- What is the ambiguous grammar? Show that the grammar below is c) ambiguous, & find the equivalent un ambiguous grammar.
 - i) $s \rightarrow ss \mid a \mid b$
 - ii) $s \rightarrow ABA, A \rightarrow aAb \mid E, B \rightarrow bB$ OR

State Principle of Mathematical Induction and apply it to Show that [6] **02**) a)

$$1+4+7+...(3n-2) = n(3n-1)/2$$
 for $n>0$

- Construct a NFA that accepts the set of strings in (0+1)* such that some b) two 0's are Separated by string whose length is 4i, for some $i \ge 0.6$
- Find an equivalent left linear grammar for the given right linear grammar [8] c)
 - i) $S \rightarrow bB|b, B \rightarrow bC|aB|b, C \rightarrow a$
 - $S \rightarrow 0A|1B, A \rightarrow 0C|1A|0, B \rightarrow 1B|1A|1, C \rightarrow 0|0A$

- Q3) a) What is a Turing Machine? Give the formal definition of TM. Design aTM to compute multiplication of two unary numbers.
 - b) What are the different ways for extension of TM? Explain. Construct a two tape TM to convert an input W into WW^R. [9]

OR

Q4) a) Write short note on:

[8]

- i) Recursively Enumerable Languages.
- ii) Halting Problem of Turing Machine.
- b) What is a post machine? Give formal definition of Post machine. Construct a Post Machine for Accepting strings having odd length and a or b as centre element. [10]
- Q5) a) Construct a PDA that accepts the language generated by grammar. [8]
 - i) $S \rightarrow 0S1|A, A \rightarrow 1A0|S|\epsilon$
 - ii) $S \rightarrow aABB|aAA, A \rightarrow aBB|a, B \rightarrow bAA|A$
 - b) Obtain the CFG equivalent to PDA given by the transition function. [8]

$$\delta(q_0, a, z_0) = \{q_0 a z_0\}$$
 $\delta(q_0, a, a) = \{q_0 a a\}$

$$\delta(q_0,b,a) = \{q_1 \varepsilon\} \qquad \delta(q_1 b,a) = \{q_1 \varepsilon\}$$

$$\delta(q_1, \varepsilon, z_0) = \{q_0 z_0\}$$

OR

- Q6) a) What is a PDA? Construct a PDA that accept $L = \{a^n b^n \mid n \ge 1\}$ through Final State.
 - b) What is NPDA? Construct a NPDA for the set of all strings over {a, b} with odd length palindrome. [8]

- Q7) a) What is Kruskal's Algorithm? How can we solve this problem using Turing Machine?[8]
 - b) What do you mean by Polynomial Time Reduction? Explain with suitable example. [8]

OR

- Q8) a) What do you mean by NP-Problems? Justify why the Travelling Salesman problem is a NP-Problem. [8]
 - b) What is Clique Problem? Show that it is a NP-Complete problem. [8]

888

.